

Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06

Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Киргизия (996)312-96-26-47

Россия (495)268-04-70

Казахстан (772)734-952-31

<https://waeco.nt-rt.ru/> || woc@nt-rt.ru

Сервисные муфты для кондиционера



WAECO ASC-CPLR

Service quick coupler, low-pressure, R134a, M14 x 1.5 female

Space is in short supply in today's engine compartments. As a result, automotive manufacturers are often using concealed areas to accommodate A/C components, which are impossible to access with a standard service coupler. The WAECO AirCon Service range includes a variety of service quick couplers that have been specially developed to ensure you can easily connect to even the most hard-to-reach ports.

- High-quality service quick coupler, designed for long-term use
- Makes it quick and easy to connect A/C service units to automotive air conditioners – even when ports are in hard-to-access places
- Compatible with all WAECO ASC A/C service units

ОБЩИЙ

Артикул (SKU) 8885400026

Модель Coupler

Описание изделия Service quick coupler, low-pressure, R134a, M14 x 1.5 female

ДОПОЛНИТЕЛЬНО

Для хладагента R134a

WAECO ASC-CPLR

Service quick coupler, high-pressure, R134a, M14 x 1.5 female

Space is in short supply in today's engine compartments. As a result, automotive manufacturers are often using concealed areas to accommodate A/C components, which are impossible to access with a standard service coupler. The WAECO AirCon Service range includes a variety of service quick couplers that have been specially developed to ensure you can easily connect to even the most hard-to-reach ports.

- High-quality service quick coupler, designed for long-term use
- Makes it quick and easy to connect A/C service units to automotive air conditioners – even when ports are in hard-to-access places
- Compatible with all WAECO ASC A/C service units

ОБЩИЙ

Артикул (SKU) 8885400027

Модель Coupler

Описание изделия Service quick coupler, high-pressure, R134a, M14 x 1.5 female

ДОПОЛНИТЕЛЬНО

Для хладагента R134a

WAECO ASC-CPLR

Service quick coupler, low-pressure, R1234yf

Space is in short supply in today's engine compartments. As a result, automotive manufacturers are often using concealed areas to accommodate A/C components, which are impossible to access with a standard service coupler. The WAECO AirCon Service range includes a variety of service quick couplers that have been specially developed to ensure you can easily connect to even the most hard-to-reach ports.

- High-quality service quick coupler, designed for use with R1234yf A/C systems
- Makes it quick and easy to connect A/C service units to automotive air conditioners – even when ports are in hard-to-access places
- Compatible with all WAECO ASC A/C service units
- Connects to the low-pressure side

ОБЩИЙ

Артикул (SKU) 8885400163

Модель Coupler

Описание изделия Service quick coupler, low-pressure, R1234yf

ДОПОЛНИТЕЛЬНО

Для хладагента R1234yf

WAECO ASC-CPLR

Service quick coupler, high-pressure, R1234yf

Space is in short supply in today's engine compartments. As a result, automotive manufacturers are often using concealed areas to accommodate A/C components, which are impossible to access with a standard service coupler. The WAECO AirCon Service range includes a variety of service quick couplers that have been specially developed to ensure you can easily connect to even the most hard-to-reach ports.

- High-quality service quick coupler, designed for use with R1234yf A/C systems

-
- Makes it quick and easy to connect A/C service units to automotive air conditioners – even when ports are in hard-to-access places
 - Compatible with all WAECO ASC A/C service units
 - Connects to the high-pressure side

ОБЩИЙ

Артикул (SKU) 8885400164

Модель Coupler

Описание изделия Service quick coupler, high-pressure, R1234yf

ДОПОЛНИТЕЛЬНО

Для хладагента R1234yf

WAECO ASC-CPLR

Service coupler, low-pressure, R1234yf

Service couplers used on R1234yf A/C systems should have a “ventilated clearance” to ensure that no refrigerant can escape, even if the unit has a defective Schrader valve. The high-quality WAECO service coupler meets this important requirement and also complies with the SAE J 639 standard.

-
- High-quality service coupler for service work on R1234yf A/C systems
 - 1 g ventilated clearance, which ensures no refrigerant will escape – even if the unit has a defective Schrader valve.
 - Complies with international safety standard SAE J639

ОБЩИЙ

Артикул (SKU) 4440500017

Модель Coupler

Артикул (SKU) заменен на 8885400170

Описание изделия Service coupler, low-pressure, R1234yf

ДОПОЛНИТЕЛЬНО

Для хладагента R1234yf

WAECO ASC-CPLR

Service coupler, high-pressure, R1234yf

Service couplers used on R1234yf A/C systems should have a “ventilated clearance” to ensure that no refrigerant can escape, even if the unit has a defective Schrader valve. The high-quality WAECO service coupler meets this important requirement and also complies with the SAE J 639 standard.

-
- High-quality service coupler for service work on R1234yf A/C systems
 - 1 g ventilated clearance, which ensures no refrigerant will escape – even if the unit has a defective Schrader valve.
 - Complies with international safety standard SAE J639

ОБЩИЙ

Артикул (SKU) 4440500018

Модель Coupler

Артикул (SKU) заменен на 8885400171

Описание изделия Service coupler, high-pressure, R1234yf

ДОПОЛНИТЕЛЬНО

Для хладагента R1234yf

Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06

Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Киргизия (996)312-96-26-47

Россия (495)268-04-70

Казахстан (772)734-952-31

<https://waeco.nt-rt.ru/> || woc@nt-rt.ru