

Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06

Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Киргизия (996)312-96-26-47

Россия (495)268-04-70

Казахстан (772)734-952-31

<https://waeco.nt-rt.ru/> || woc@nt-rt.ru

Сервисные шланги для кондиционеров

WAECO ASC-HS



Service hose 3 m, R1234yf, low-pressure, 12 mm connection thread

The WAECO AirCon Service range includes a wide selection of quality service hoses for all applications in A/C fitting and service. There are a variety of lengths and connector types to choose from, and hoses for both R134a and R1234yf types of A/C system.

- 3 m service hose, for service work on R1234yf A/C systems
- Highly flexible material allows for use even in hard-to-access areas of automotive A/C systems
- Fitted with connectors (M12 x 1.5 on both ends)

ОБЩИЙ

Артикул (SKU) 4440600176

Модель Hoses

Описание изделия Service hose 3 m, R1234yf, low-pressure, 12 mm connection thread

ДОПОЛНИТЕЛЬНО

Для хладагента R1234yf

WAECO COMP-HS



Service hose 1.8 m, R134a, high-pressure, 1/4" x 1/4" SAE

The WAECO AirCon Service range includes a wide selection of quality service hoses for all applications in A/C fitting and service. There are a variety of lengths and connector types to choose from, and hoses for both R134a and R1234yf types of A/C system.

- 1.8 m hose for service work on R134a A/C systems
- Made from highly flexible material, allowing for use even in hard-to-access areas of automotive A/C systems
- Fitted with connectors (1/4" SAE on both ends)
- Connects to the high-pressure side

ОБЩИЙ

Артикул (SKU) 8885100005

Модель Hose

Описание изделия Service hose 1.8 m, R134a, high-pressure, 1/4" x 1/4" SAE

ДОПОЛНИТЕЛЬНО

Для хладагента R134a

WAECO ASC-HS



Service hose 8 m, R134a, low-pressure, 1/2" ACME connection thread

The WAECO AirCon Service range includes a wide selection of quality service hoses for all applications in A/C fitting and service. There are a variety of lengths and connector types to choose from, and hoses for both R134a and R1234yf types of A/C system.

- Extra-long 8 m service hose for R134a refrigerant charging and recovery
- Made from highly flexible material, allowing for use even in hard-to-access areas of automotive A/C systems
- Fitted with connectors (M14 x 1.5 and 1/2" ACME trapezoid thread)
- Connects to the low-pressure side

ОБЩИЙ

Артикул (SKU) 8885100027

Модель Hoses

Описание изделия Service hose 8 m, R134a, low-pressure, 1/2" ACME connection thread

ДОПОЛНИТЕЛЬНО

Для хладагента R134a

WAECO COMP-HS



Service hose 1.8 m, R134a, low-pressure, 1/4" x 1/4" SAE

The WAECO AirCon Service range includes a wide selection of quality service hoses for all applications in A/C fitting and service. There are a variety of lengths and connector types to choose from, and hoses for both R134a and R1234yf types of A/C system.

- 1.8 m hose for service work on R134a A/C systems
- Made from highly flexible material, allowing for use even in hard-to-access areas of automotive A/C systems
- Fitted with connectors (1/4" SAE on both ends)
- Connects to the low-pressure side

ОБЩИЙ

Артикул (SKU) 8885100006

Модель Hose

Описание изделия Service hose 1.8 m, R134a, low-pressure, 1/4" x 1/4" SAE

ДОПОЛНИТЕЛЬНО

Для хладагента R134a

WAECO ASC-HS



Service hose 8 m, R134a, high-pressure, 1/2" ACME connection thread

The WAECO AirCon Service range includes a wide selection of quality service hoses for all applications in A/C fitting and service. There are a variety of lengths and connector types to choose from, and hoses for both R134a and R1234yf types of A/C system.

- Extra-long 8 m service hose for R134a refrigerant charging and recovery
- Made from highly flexible material, allowing for use even in hard-to-access areas of automotive A/C systems
- Fitted with connectors (M14 x 1.5 and 1/2" ACME trapezoid thread)
- Connects to the high-pressure side

ОБЩИЙ

Артикул (SKU) 8885100028

Модель Hoses

Описание изделия Service hose 8 m, R134a, high-pressure, 1/2" ACME connection thread

ДОПОЛНИТЕЛЬНО

Для хладагента R134a

WAECO COMP-HS



Service hose 1.8 m, R134a, yellow, 1/4" x 1/4" SAE

The WAECO AirCon Service range includes a wide selection of quality service hoses for all applications in A/C fitting and service. There are a variety of lengths and connector types to choose from, and hoses for both R134a and R1234yf types of A/C system.

- 1.8 m hose for service work on R134a A/C systems
- Made from highly flexible material, allowing for use even in hard-to-access areas of automotive A/C systems
- Fitted with connectors (1/4" SAE on both ends)
- Yellow

Описание изделия Service hose 1.8 m, R134a, yellow, 1/4" x 1/4" SAE

Для хладагента R134a

WAECO ASC-HS



Service hose 3 m, R134a, low-pressure, 1/2" ACME connection thread

The WAECO AirCon Service range includes a wide selection of quality service hoses for all applications in A/C fitting and service. There are a variety of lengths and connector types to choose from, and hoses for both R134a and R1234yf types of A/C system.

- 3 m hose for service work on R134a A/C systems
- Made from highly flexible material, allowing for use even in hard-to-access areas of automotive A/C systems
- Fitted with connectors (M14 x 1.5 and 1/2" ACME trapezoid thread)
- Connects to the low-pressure side

Описание изделия Service hose 3 m, R134a, low-pressure, 1/2" ACME connection thread

Для хладагента R134a

WAECO COMP-HS



Service hose 1.8 m, R134a, high-pressure, 3/8" x 3/8" SAE

The WAECO AirCon Service range includes a wide selection of quality service hoses for all applications in A/C fitting and service. There are a variety of lengths and connector types to choose from, and hoses for both R134a and R1234yf types of A/C system.

- 1.8 m hose for service work on R134a A/C systems
- Made from highly flexible material, allowing for use even in hard-to-access areas of automotive A/C systems
- Fitted with connectors (3/8" SAE on both ends)
- Connects to the high-pressure side
- Yellow

Описание изделия Service hose 1.8 m, R134a, high-pressure, 3/8" x 3/8" SAE
Для хладагента R134a

WAECO ASC-HS



Service hose 3 m, R134a, high-pressure, 1/2" ACME connection thread

The WAECO AirCon Service range includes a wide selection of quality service hoses for all applications in A/C fitting and service. There are a variety of lengths and connector types to choose from, and hoses for both R134a and R1234yf types of A/C system.

- 3 m hose for service work on R134a A/C systems
- Made from highly flexible material, allowing for use even in hard-to-access areas of automotive A/C systems
- Fitted with connectors (M14 x 1.5 and 1/2" ACME trapezoid thread)
- Connects to the high-pressure side

Описание изделия Service hose 3 m, R134a, high-pressure, 1/2" ACME connection thread

Для хладагента R134a

WAECO COMP-HS



Service hose 1.8 m, R134a, low-pressure, 3/8" x 3/8" SAE

The WAECO AirCon Service range includes a wide selection of quality service hoses for all applications in A/C fitting and service. There are a variety of lengths and connector types to choose from, and hoses for both R134a and R1234yf types of A/C system.

- 1.8 m hose for service work on R134a A/C systems
- Made from highly flexible material, allowing for use even in hard-to-access areas of automotive A/C systems
- Fitted with connectors (3/8" SAE on both ends)
- Connects to the low-pressure side

Описание изделия Service hose 1.8 m, R134a, low-pressure, 3/8" x 3/8" SAE

Для хладагента R134a

WAECO COMP-HS



Service hose 1.8 m, R134a, yellow, 3/8" x 3/8" SAE

The WAECO AirCon Service range includes a wide selection of quality service hoses for all applications in A/C fitting and service. There are a variety of lengths and connector types to choose from, and hoses for both R134a and R1234yf types of A/C system.

- 1.8 m hose for service work on R134a A/C systems
- Made from highly flexible material, allowing for use even in hard-to-access areas of automotive A/C systems
- Fitted with connectors (3/8" SAE on both ends)

- Yellow

Описание изделия Service hose 1.8 m, R134a, yellow, 3/8" x 3/8" SAE
Для хладагента R134a

WAECO COMP-HS



Service hose 1.8 m, R134a, high-pressure, 1/2" ACME

The WAECO AirCon Service range includes a wide selection of quality service hoses for all applications in A/C fitting and service. There are a variety of lengths and connector types to choose from, and hoses for both R134a and R1234yf types of A/C system.

- 1.8 m hose for service work on R134a A/C systems
- Made from highly flexible material, allowing for use even in hard-to-access areas of automotive A/C systems
- Fitted with connectors (M14 x 1.5 and 1/2" ACME trapezoid thread)
- Connects to the high-pressure side

Описание изделия Service hose 1.8 m, R134a, high-pressure, 1/2" ACME
Для хладагента R134a

WAECO COMP-HS



Service hose 1.8 m, R134a, low-pressure, 1/2" ACME

The WAECO AirCon Service range includes a wide selection of quality service hoses for all applications in A/C fitting and service. There are a variety of lengths and connector types to choose from, and hoses for both R134a and R1234yf types of A/C system.

- 1.8 m hose for service work on R134a A/C systems
- Made from highly flexible material, allowing for use even in hard-to-access areas of automotive A/C systems
- Fitted with connectors (M14 x 1.5 and 1/2" ACME trapezoid thread)
- Connects to the low-pressure side

Описание изделия Service hose 1.8 m, R134a, low-pressure, 1/2" ACME
Для хладагента R134a

WAECO COMP-HS



Service hose 5 m, R134a, low-pressure, 3/8" x 3/8" SAE

The WAECO AirCon Service range includes a wide selection of quality service hoses for all applications in A/C fitting and service. There are a variety of lengths and connector types to choose from, and hoses for both R134a and R1234yf types of A/C system.

-
- 5 m service hose for R134a refrigerant charging and recovery
 - Made from highly flexible material, allowing for use even in hard-to-access areas of automotive A/C systems
 - Fitted with connectors (3/8" SAE on both ends)
 - Connects to the low-pressure side

Описание изделия Service hose 5 m, R134a, low-pressure, 3/8" x 3/8" SAE
Для хладагента R134a

WAECO COMP-HS



Service hose 5 m, R134a, high-pressure, 3/8" x 3/8" SAE

The WAECO AirCon Service range includes a wide selection of quality service hoses for all applications in A/C fitting and service. There are a variety of lengths and connector types to choose from, and hoses for both R134a and R1234yf types of A/C system.

-
- 5 m service hose for R134a refrigerant charging and recovery
 - Made from highly flexible material, allowing for use even in hard-to-access areas of automotive A/C systems
 - Fitted with connectors (3/8" SAE on both ends)
 - Connects to the high-pressure side

Описание изделия Service hose 5 m, R134a, high-pressure, 3/8" x 3/8" SAE
Для хладагента R134a

WAECO COMP-HS



Service hose 5 m, R134a, low-pressure, 1/2" ACME

The WAECO AirCon Service range includes a wide selection of quality service hoses for all applications in A/C fitting and service. There are a variety of lengths and connector types to choose from, and hoses for both R134a and R1234yf types of A/C system.

-
- 5 m service hose for R134a refrigerant charging and recovery
 - Made from highly flexible material, allowing for use even in hard-to-access areas of automotive A/C systems
 - Fitted with connectors (M14 x 1.5 and 1/2" ACME trapezoid thread)
 - Connects to the low-pressure side

Описание изделия Service hose 5 m, R134a, low-pressure, 1/2" ACME
Для хладагента R134a

WAECO COMP-HS



Service hose 5 m, R134a, high-pressure, 1/2" ACME

The WAECO AirCon Service range includes a wide selection of quality service hoses for all applications in A/C fitting and service. There are a variety of lengths and connector types to choose from, and hoses for both R134a and R1234yf types of A/C system.

- 5 m service hose for R134a refrigerant charging and recovery
- Made from highly flexible material, allowing for use even in hard-to-access areas of automotive A/C systems
- Fitted with connectors (M14 x 1.5 and 1/2" ACME trapezoid thread)
- Connects to the high-pressure side

Описание изделия Service hose 5 m, R134a, high-pressure, 1/2" ACME
Для хладагента R134a

WAECO COMP-HS



Service hose 5 m, R1234yf, low-pressure, 12 mm connection thread

The WAECO AirCon Service range includes a wide selection of quality service hoses for all applications in A/C fitting and service. There are a variety of lengths and connector types to choose from, and hoses for both R134a and R1234yf types of A/C system.

- 5 m service hose for R1234yf A/C refrigerant charging and recovery
- Made from highly flexible material, allowing for use even in hard-to-access areas of automotive A/C systems
- Fitted with connectors (M12 x 1.5 on both ends)
- Connects to the low-pressure side

Описание изделия Service hose 5 m, R1234yf, low-pressure, 12 mm connection thread
Для хладагента R1234yf

WAECO COMP-HS



Service hose 5 m, R1234yf, high-pressure, 12 mm connection thread

The WAECO AirCon Service range includes a wide selection of quality service hoses for all applications in A/C fitting and service. There are a variety of lengths and connector types to choose from, and hoses for both R134a and R1234yf types of A/C system.

- 5 m service hose for R1234yf A/C refrigerant charging and recovery
- Made from highly flexible material, allowing for use even in hard-to-access areas of automotive A/C systems
- Fitted with connectors (M12 x 1.5 on both ends)
- Connects to the high-pressure side

Описание изделия Service hose 5 m, R1234yf, high-pressure, 12 mm connection thread

Для хладагента R1234yf

WAECO NITRO-DETECT



Hose set for nitrogen and forming gas pressure reducer

One way to check for leaks in an A/C system is to use nitrogen gas. This method, which uses differential pressure, is primarily suitable for the initial testing of strongly leaking or even empty systems. The WAECO AirConService range provides professional tools and complete kits for this leak detection method.

- Hose set that makes it possible to carry out leak checks using nitrogen or forming gas
- Special design allows for safe connection to an A/C system
- Supplied with connectors

Описание изделия Hose set for nitrogen and forming gas pressure reducer

Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06

Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Киргизия (996)312-96-26-47

Россия (495)268-04-70

Казахстан (772)734-952-31

<https://waeco.nt-rt.ru/> || woc@nt-rt.ru